

BIG BUSINESS FEATURES

SMALL BUSINESS CONVENIENCE



Colour wireless LED 3-in-1 printer

DCP-L3510CDW



PRINT



COPY



SCAN



WIRELESS

Exclusive to

Officeworks 

Colour wireless LED 3-in-1 printer

This quiet multi-function device offers fast print, copy and scan functions all in an efficient desktop unit. Straight from the box, this machine can print up to 1,000 pages¹ and offers time saving features including 2-sided (duplex) printing, the ability to print straight from your mobile, and spend less time refilling paper with the high capacity paper tray of 250 sheets.

DCP-L3510CDW



Key Features:

- Fast print speeds of up to 18 pages⁶ per minute
- Large paper capacity of 250 sheets
- Automatic 2-sided (duplex) printing
- Wireless connectivity
- Easily print from your mobile or tablet
- 512MB memory
- Up to 1,000 pages¹ in-box toners



Productivity gains for your business

Watch your business productivity soar with up to 18PPM print speeds⁶ with this easy to set up and easy to use multi-function device.



Best value - get business features at low running costs

With high-yield toners available (up to 2,500 pages¹ BK and 2,300 pages¹ CMY), your business can now benefit from super low running costs with high quality 2400dpi printing and bundled with industry leading Nuance document software, ensuring you get maximum value from an economical multi-function device.



Wireless and mobile connectivity

Loads of connectivity options for your business. Print wirelessly from your desktop, laptop, smartphone or tablet for mobile device printing and scanning.



Designed to go the distance

Built to perform for longer, the DCP-L3510CDW has been designed with you in mind. Made from robust and hard wearing materials and supported by outstanding service as standard, Brother's award winning⁷ reliability allows you to deliver uncompromised performance at all times.

General		Embedded Fonts (PCL)		73 scalable fonts, 12 bitmap fonts
Technology	Electrophotographic LED	Embedded Fonts (Postscript)		66 scalable fonts
Processor	Cortex-A9 800MHz Sub: ARM946 133MHz	Embedded Barcodes (PCL)		*Code39, Interleaved 2 of 5, FIM (US-PostNet), Post Net (US-PostNet), EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN (EAN), ISBN (UPC-E), Code128 (set A, set B, set C), EAN128 (set A, set B, set C), Code93, GS1Databar, MSI
Wireless Network	IEEE 802.11b/g/n	Printer Functions		
Control Panel	2 line LCD	N-up Printing³	Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)	
Memory	512MB	Poster Printing⁴	Enlarge 1 A4 page into a poster using 4, 9, 16 or 25 A4 pages	
Local Interface	Hi-Speed USB 2.0	Watermark Printing⁴	Watermark your documents with predefined text or with your own user-defined messages	
Mobile Print	Print from your mobile devices to your Brother printer	ID Printing⁴	Add identification to your printed documents (date & time, short custom message or PC username)	
Print		Manual 2-sided (duplex) Print⁴	Manual 2-sided (duplex) printing (recommended for media not supported by automatic 2-sided (duplex))	
Print Speed (A4)	Up to 18PPM ⁶ Colour & Monochrome	Booklet Printing⁴	Print documents in A5 booklet format using automatic or manual 2-sided (duplex) print	
Print Speed 2-sided (duplex) (A4)	Up to 6 sides per minute Colour & Monochrome	Print Profiles⁵	Store your favourite driver settings as profiles to easily recall them	
Resolution	2,400 dpi (600 x 2400)	Print Text In Black⁴	Converts all text in your documents to black when printed	
Quiet Mode	A mode to reduce the printing noise by reducing the print speed			
FPOT (First Print Out Time)	Less than 15.5 seconds from ready mode			
Warm Up Time	Less than 28 seconds from sleep mode			
Print Languages	PCL6, BR-Script3 PDF Version 1.7, XPS Version 1.0			

Printer Drivers	
Windows®	Windows® 10 (32 & 64 bit editions), Windows® 8 (32 & 64 bit editions), Windows® 7 (32 & 64 bit editions), Windows® Server 2016 (32 & 64 bit editions)*, Windows® Server 2012, 2012R2 & 2008R2*, Windows® Server 2008 (32 & 64 bit editions)*
Macintosh ⁵	macOS v10.11.6, 10.12.x, 10.13.x
Linux ⁵	CUPS, LPD/LPRng (32 & 64 bit editions)
PostScript Universal Printer Driver ⁶	Driver for Windows® that enables you to print to any network or locally-connected Brother laser printer that supports PostScript
PCL Driver ⁶	Generic PCL XL driver

Paper Handling	
Paper Input	Standard Tray - 250 sheets Manual feed slot - 1 sheet
Paper Output	150 sheets Face Down (80g/m2) 1 sheet face-up (straight paper path)
Media Type & Weights Standard Tray	Plain & Recycled paper (between 60 - 163g/m2)
Media Sizes Standard Tray	A4, Letter, A5, A5 (Long Edge), A6, Executive
Media Type & Weights 2-sided (duplex) Print	Plain & Recycled paper (between 60 - 163g/m2)
Media Sizes 2-sided (duplex) Print	A4
Envelope & Label Printing	Yes, from the manual feed slot: support for 1 envelope / sheet
Media Type & Weights Manual feed slot	Plain, Recycled, Bond, Label, Envelope paper (between 60 - 163g/m2)
Media Sizes Manual feed slot	Width 76.2 to 216 mm Length 116 to 355.6 mm Envelope; COM-10, DL, C5, Monarch

Mobile Connectivity	
Brother iPrint&Scan (Android)	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an Android device
Brother iPrint&Scan (iPad / iPhone / iPod)	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from an iPad / iPhone / iPod Touch
Brother iPrint&Scan (Windows® Phone)	Print from and scan to a smart phone running the Windows® Phone Operating System
Brother Print&Scan (Windows® 8,10 & RT)	Print from and scan to a Windows® 8,10 or Windows RT Tablet
Google Cloud Print 2.0	Print most common file types from any Google Cloud Print enabled application
Apple AirPrint	Print from and scan to most common file types from any AirPrint enabled application
Brother Print Service Plugin	Print from Android devices without a dedicated App
Mopria	Print most common file types from Mopria supported Android devices

Copy	
Print Speed (A4)	Up to 18CPM ⁸ Colour & Monochrome
FCOT (First Copy Time Out)	Less than 17.5 seconds from ready mode Colour & Monochrome
Resolution	Up to 600 x 600dpi
Multi-Copying/Stack/Sort	Makes up to 99 copies of each page / Stacks or Sorts
Enlargement/Reduction Ratio	Reduce or increase document sizes from 25% to 400% in 1% increments
N in 1 Copying	Allows the user to compress 2 or 4 pages on to a single A4 sheet
2in1 ID Copying	Allows the user to copy both sides of an ID card to a single A4 sheet
Grey Scale	256 shades of grey (8 bit)
Receipt Copying	Produces clearer copies of receipts
Enlarge Text Copy ⁸	Makes reading copied documents easier if the size of the text on the original document is small

Scan	
Scanner Type	CIS (Contact Image Sensor)
Colour & Monochrome Scanning	Yes
Scan Resolution from Scanner Glass	Up to 1,200 x 2,400dpi
Interpolated Scan Resolution	Up to 19,200 x 19,200dpi
Colour Depth	48 bit colour Processing (Input) 24 bit colour Processing (Output)
Grey Scale	16bit colour Processing (Input) 8bit colour Processing (Output)

Scanner Functions	
Scan to E-mail	Scan and share documents via e-mail client
Scan to OCR	Scan documents directly into your word processing application for instant editing
Scan to Image	Scan into your preferred image editing software
Scan to File	Scan to a file on your computer
Scan to Network Folder	Scan documents to a nominated folder on your network without using a Windows PC
Scan to FTP	Scan documents directly to a FTP server
Scan Profile ³	Create up to 25 preset network, FTP profiles for an easy way to store multiple scan settings
Scan to SharePoint ^{4&7}	Scan documents directly into SharePoint
Scan to Searchable PDF	Scan documents to searchable PDF files
Auto Deskew	Yes
Base Colour Removal	Yes
ID Scan	Yes
1 to 2 Scan	Yes

Scanner Drivers	
Windows®	TWAIN & WIA Windows® 10 (32 & 64 bit editions), Windows® 8 (32 & 64 bit editions), Windows® 7 (32 & 64 bit editions)
Macintosh ⁵	TWAIN macOS v10.11.6, 10.12.x, 10.13.x
Linux ⁵	SANE (32 & 64 bit editions)

Fleet Management Tools	
Unattended Installer ⁴	Ability to centrally deploy and customise our drivers and software
MSI Installer ⁴	Modular installers that can be distributed through Active Directory®
BRAdmin Light ^{4&5}	LAN/WAN management software
Embedded Web Server	Web based print management software embedded onto the device
Driver Deployment Wizard ^{4 & 5}	Easily create print drivers for hassle free deployment over your network

Software	
Brother iPrint&Scan (Windows & Mac) ⁵	Print from, scan to, send faxes, preview received faxes, preview copies and check the machine status from windows or macOS PC
Nuance® PaperPort 14 SE5	Document management & sharing program

Network and Security	
Wireless Network	IEEE 802.11b/g/n (Infrastructure Mode) IEEE 802.11g/n (Wi-Fi Direct)
Wireless Network Security	WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES) *Wi-Fi Direct supports WPA2-PSK (AES) only.APOP, POP before SMTP, SMTP-AUTH, SSL/TLS (IPPS, HTTPS, SMTP, POP), SNMP v3 802.1x (LEAP, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS), Kerberos
Wi-Fi Direct™	Print wirelessly without having to go through a wireless access point (both automatic and manual methods supported)
Wireless Setup Support	Wi-Fi Protected Setup (WPS)
Wireless Applications	Vertical Pairing
IPv4	ARP, RARP, BOOTP, DHCP, APIPA(Auto IP), WINS/ NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/ Port9100, SMTP Client, IPP/IPPS, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/ v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print/Scan), SNTIP Client
IPv6	NDR, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Client and Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTIP Client, Web Services (Print/Scan)
IP Filter	Restrict which network users can or cannot access the device over the network (IPv4 only)
E-mail Notifications	Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing
E-mail Reports	Receive usage reports on a regular basis via e-mail
Setting Lock	Secures access to the devices control panel by locking it
Secure Function Lock 3.0	Restrict access to individual or groups of users over a network. Can be used with PC User Login Names for up to 100 users
Secure Print	Protect print jobs with a 4 digit release code required at the device in order for them to be printed
Supplies and Accessories	
In-box Toner	Up to 1,000 pages ¹ C/M/Y/BK
Standard-Yield Toner	Up to 1,300 pages ¹ C/M/Y (TN-253)
High-Yield Toner	Up to 2,500 pages ¹ BK (TN-253) Up to 2,300 pages ¹ C/M/Y (TN-257)
Drum Unit	Up to 18,000 pages ¹ (1 page / job) (DR-253CL)

Dimensions and Weights	
Without Carton (WxDxH)	410 x 475 x 368 mm -21.7kg
With Carton (WxDxH)	589 x 523 x 521 mm - 25.6kg
Duty Cycles	
Recommended Monthly	300 to 1,500 pages ⁹ monthly print volume
Environment	
Power Consumption	Printing - 400W, Ready - 80W, Quiet Mode - 280W, Sleep - 9.7W, Deep Sleep - 1.2W, Off - 0.04W
TEC Value	0.9 kWh/Week
Sound Pressure Level	Printing - 45dB(A) Ready - 33dB(A) Quiet Mode - 43dB(A)
Sound Power	Printing - 5.92B(A) Monochrome / 5.86B(A) Colour Ready - 4.67B(A), Quiet Mode - 5.71B(A) Monochrome / 5.73B(A) Colour, Deep Sleep - Inaudible
Power Saving	This enables the printer to consume less energy when not in use
Toner Save Mode	This reduces the toner usage and helps to reduce the total cost of printer ownership
Energy Star	Yes
Eco Mode	Yes

1 Approx declared yield value in accordance with ISO/IEC 19798.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 ISO print speed based on ISO/IEC 24734 (after first set of ISO test pages).

7 Brother is the winner of PC Mag Readers' Choice Award for 9 years in a row and Business Choice Award for 5 years in a row.

8 ISO copy speed is based on ISO/IEC 24735.

9 The recommended range of monthly printed pages to achieve the best possible performance and printer life. Printers are intended to handle occasional usage beyond the range with little or no effect. Consistently printing above the recommended print volume, however, may adversely affect the print quality or life of the machine. It is always best to choose a printer with an appropriate recommended print volume to allow for any anticipated increase in printing needs.

* Windows® Server supports network printing only

All specifications correct at time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com



youtube.com/user/BrotherAU/videos



linkedin.com/company/brother-international-australia/

brother
at your side